

CHAP 3.doc
Version 7.3

CHAPTER III
SURGERY: INTEGUMENTARY SYSTEM
CPT CODES 10000-19999
FOR
NATIONAL CORRECT CODING POLICY MANUAL
FOR PART B MEDICARE CARRIERS

CPT codes Copyright© 2000 American Medical Association.
All Rights Reserved.

The Centers for Medicare and Medicaid Services (CMS), formerly the Health Care Financing Administration, is responsible for the content of this product. No endorsement by the American Medical Association (AMA) is intended or should be implied. The AMA disclaims responsibility for any consequences or liability attributable to or related to any uses, non-use, or interpretation of information contained or not contained in this product. These Correct Coding Policies do not supersede any other specific Medicare coding, coverage, or payment policies.

Chapter III
Surgery: Integumentary System
CPT Codes 10000 - 19999

A. Introduction

CPT coding of the integumentary system includes coding narrative for services performed by a number of specialties. While the coding system is oriented toward dermatological procedures, the dermatological aspects of the practice of plastic surgery are covered as are the dermatologic elements (particularly closure, tissue transfer, grafts, adjacent and distant flaps) of multiple surgical procedures, especially radical or mutilative surgical procedures. Integumentary procedures are also often performed in staged fashions due to the sophistication of services rendered.

Generally, integumentary procedures include incision, biopsy, removal, paring/curettement, shaving, destruction (multiple methodologies), excision, repair, adjacent tissue rearrangement, grafts, flaps, and specialized services such as burn management and Mohs' Micrographic Surgery.

When a comprehensive service code describes other component codes, all of which were performed, the most comprehensive service code should be used rather than listing the individual component codes. Additionally, because of the technical advances and changes in technology, standard medical practice should be as accurately reflected in CPT coding as possible. The CPT code should reflect what transpires in a standard surgical setting. Necessary services performed in order to accomplish a more comprehensive service are included in the CPT code describing the more complex service.

B. Evaluation and Management

Evaluation and Management (E & M) of integumentary disorders may represent a separately identifiable service, serve as a prelude to a decision to perform a service, or be performed in follow-up of previously performed procedures. Policies referable to the appropriateness of reporting evaluation and management codes in conjunction with surgical procedures are well established in the standard CMS Global Surgery Policy. In essence, if the evaluation and management service provided is for the purpose of deciding that a major surgical procedure is to be performed, this service is a significant, separately identifiable service and may be reported separately, by attaching modifier -57 to the

appropriate level of evaluation and management service code. Surgical procedures have a "global period" following surgery (generally 0, 10 or 90 days); during this time E & M services provided in follow-up to the surgical procedure have been calculated into the relative value units for the surgery and are not to be separately reported. On the occasion when a separate condition is evaluated and a significant, separately identifiable service for a different problem is provided postoperatively, a separate E & M code may be reported and indicated with the -24 modifier.

Surgical dressings, supplies, and local anesthetics used for a procedure are not to be separately reported as routine. There are some exceptions to this policy (e.g. surgical tray used for some office procedures). Wound closures using adhesive strips or tape alone do not represent a separately identifiable surgical procedure and are, therefore, included in the appropriate E & M service.

C. Anesthesia

Anesthesia for dermatologic procedures, when provided by the physician performing the procedure, is considered part of the procedure. This would include local infiltration, regional block, sedation, etc. performed by the physician doing the procedure. Local anesthesia or local anesthesia with sedation is often accomplished by the physician providing the primary services. General anesthesia or monitored anesthesia care may be required for more extensive dermatologic procedures (extensive debridement, flaps, grafts, etc.). In these cases, if anesthesia services are performed by another provider, the different physician may bill separately for his/her services. Billing for "anesthesia" services rendered by a nurse or other office personnel (unless the nurse is an independent certified nurse anesthetist, CRNA, etc.) is inappropriate as these services are incident to the physician's services.

Use of injection codes for therapeutic injection or aspiration of lesions is inappropriate if the injection is administered for local anesthesia for a specific procedure. CPT codes such as 10160 (puncture aspiration), 20500-20501 (injection of sinus), 20550 (injection of tendon sheath, etc.), 20600-20610 (arthrocentesis) are not to be reported separately if they are used to reflect local anesthetic techniques for another procedure.

In the postoperative state, patients treated with epidural or subarachnoid drug administration will require adjustment/management of the catheter, dosage, etc. (CPT code 01996). This service may be coded by the anesthesiologist for payment. The management of postoperative pain by the surgeon, including epidural or subarachnoid drug administration, is included in the global period associated with the operative procedure. If no surgery is performed but a catheter is placed for pain control (e.g. burn injury not requiring surgery), CPT code 01996 (daily management of epidural or subarachnoid drug administration) is appropriately reported by the managing physician.

D. Incision and Drainage

Incision and drainage services, as related to the integumentary system, generally involve cutaneous or subcutaneous drainage of cysts, pustules, infections, hematomas, seromas or fluid collections. In cases where, in the course of an excision of a lesion, an area of involvement is identified which requires drainage, either as a part of the procedure or in order to gain access to the area of interest, coding/billing for incision and drainage of this fluid collection would be inappropriate if the excision or other procedure is performed in the same session.

Example: A patient who presents with a pilonidal cyst may require simple incision/drainage or may require an extensive excision. In the former case, the appropriate CPT coding is 10080 (or 10081 if complicated). If the pilonidal cyst is excised, while it is obvious that drainage from the cyst will occur in the course of its excision, the appropriate coding is CPT code 11770 (or 11771 or 11772, depending on the complexity), not CPT codes 10080 and 11770. If it is evident that an extensive cellulitis is present around the cyst preventing the complete procedure from being accomplished, it may be reasonable to bill for CPT code 10080, then, after perhaps a week of antibiotic therapy, complete the procedure using 11770-78 (Return to the operating room for a related procedure during the postoperative period.) The nature of the treatment should be driven by medical decision making rather than by coding conventions.

1. Procedure codes such as incision and drainage of hematomas (e.g. CPT Code 10140) are not to be reported if reported during the same session or at the same site as an excision, repair, destruction, removal, etc.

2. Codes describing services necessary to address complications, such as CPT code 10180 (incision and drainage, complex, postoperative wound infection) should not be submitted for services rendered at the same surgical session that resulted in the complication. If performed in conjunction with the primary procedure, it would be included in the more comprehensive procedure. For example, if a patient has undergone a thoracotomy and a necrotizing pneumonia with empyema develops, it may be necessary to perform a lobectomy through the previous incision. The reason for the surgery is to perform the lobectomy; therefore the lobectomy code should be reported. Since the drainage of the empyema is necessary to accomplish the lobectomy, it would be inappropriate to bill for CPT code 10180 (incision and drainage). On the other hand, if the patient would only require drainage of a thoracotomy wound infection (without lobectomy) and it is determined to be medically necessary to place a gastrostomy tube at the same time, the CPT code 10180 could be reported with the appropriate gastrostomy tube placement code.

E. Lesion Removal

For a given lesion, only one type of removal is reported, whether it is destruction (e.g. laser, freezing), debridement, paring, curettement, shaving or excision. CPT definition describes the nature of each of these forms of removal. CPT definition also defines the lesions (specifically full thickness excision) by lesion diameter. In the case where an initial attempt using a less invasive procedure is followed by a more invasive lesion removal, the more complex procedure used would be appropriately reported, but not both procedures. Additionally, multiple codes describing destruction of a lesion are not to be reported for a given lesion; if multiple distinct lesions are removed using different methods, an anatomic modifier or the -59 modifier would be used to indicate a different site, a different method or a different lesion. The distinct location of the lesions should be reflected in the medical record.

A lesion biopsy represents a partial removal of a lesion and is frequently performed as a part of a lesion excision in order, for example, to procure a pathological specimen. Generally, a part of, or the entire lesion is submitted for biopsy. When a biopsy is performed as part of a lesion removal, it is part of the overall procedure and is not to be considered as a separate procedure.

If a biopsy is performed on a separate date at a separate session, and subsequently a definitive procedure is performed, the biopsy code may be reported, followed by a separate removal code, indicating the different dates of service.

Tissues removed are often submitted for surgical pathological evaluation; in some cases, physicians qualified in dermatopathology may perform these evaluations. These codes generally include CPT codes 88300-88309 (surgical pathology). Additionally, when the physician is asked to review slides obtained from another physician's excision, and subsequently performs additional removal/biopsy, a separate code for review of outside slides is not reported, i.e. CPT code 88321, in addition to an evaluation and management service. The decision to perform surgery is generally based on an evaluation and management service which includes review of prior records including tissues, slides, etc.) The dermatopathology evaluation must be medically necessary and reasonable. When lesions of like nature (e.g. multiple seborrheic keratoses) are encountered, removal of multiple lesions is frequently accomplished at the same operative session. If it is determined to be medically necessary to separately submit the lesions for pathologic evaluation, documentation of the precise location of each separately submitted lesion must be present. If multiple lesion specimens are submitted as a collective group without documentation specifying locations sufficient to differentiate the source of each specimen, then the surgical pathology code should be submitted as one specimen (one unit of service) even if the specimens were subsequently separated.

Lesions or margins obtained during Mohs' Micrographic Surgery should not be coded under the surgical pathology codes. The definition of Mohs' Micrographic Surgery includes the services defined by the surgical pathology codes (CPT codes 88300-88309) and excision codes (CPT codes 11600-11646 and 17260-17286). These procedure codes are part of the Mohs' Micrographic Surgery CPT codes (17304-17310). Billing separately for one of the above pathology and/or one of the excision codes is inappropriate. It is recognized that a Mohs' surgeon may find it necessary to obtain a diagnostic biopsy in order to make the decision to perform surgery. When a diagnostic biopsy is necessary, it may be reported separately. The -58 modifier may be utilized to indicate that the diagnostic biopsy and Mohs' Micrographic Surgery are staged or planned procedures.

Lesion removal, by whatever method (usually excisional), may require simple, intermediate, or complex closure and, in unusual circumstances, tissue transfer procedures. When the lesion removal requires only bandaging, strip closure or simple closure (see CPT definition of simple closure), this is included in the lesion excision and is not to be reported separately.

Accordingly, CPT codes 12001-12021 (simple repairs) are considered part of the lesion removal codes. Intermediate and complex closures, when medically necessary, may be coded separately. In the case of Mohs' Micrographic Surgery (CPT codes 17304-17310) all necessary repairs may be coded.

In the course of destruction, excision, incision, removal, repair, or closure, debridement of non-viable tissue surrounding a lesion, injury or incision is often necessary to accomplish the primary service. The debridement codes (CPT codes 11000-11042) are not to be reported separately, as this service is necessary as a part of the total procedure according to standard medical practice.

CPT codes describing intralesional chemotherapy (CPT Codes 96405, 96406) refer to injection of chemotherapeutic agents into one or multiple lesions. CPT codes 11900 and 11901 describe non-specific intralesional injection(s) into one or more lesions. While one or the other code may be appropriate for a given service, both lesion injection codes are not to be reported together (unless separate lesions are injected with different agents, in which case the -59 modifier should be attached to the intralesional injection code). The CPT codes 11900, 11901 (injection, intralesional) are not to be used for local anesthetic injection in anticipation of chemotherapy or any other definitive service performed on a lesion or group of lesions. Local anesthesia is considered a part of the definitive procedure. These intralesional CPT injection codes (96405, 96406, 11900 and 11901) are included in the following list of CPT codes if the injection represents local anesthesia:

11200 - 11201	(Removal of skin tags)
11300 - 11313	(Shaving of lesions)
11400 - 11471	(Excision of lesions)
11600 - 11646	(Excision of lesions)
12001 - 12018	(Repair - simple)
12020 - 12021	(Treatment of wound dehiscence)
12031 - 12057	(Repair - intermediate)

13100 - 13160	(Repair - complex)
11719 - 11762	(Trimming, debridement and excision of nails)
11770 - 11772	(Excision of pilonidal cysts)
11765	(Wedge excision)

F. Repair and Tissue Transfer

When lesional excision is of such an extent that closure cannot be accomplished by simple, intermediate, or complex closure, other methodology must be employed. Frequently adjacent tissue transfer or tissue rearrangement is employed (Z-plasty, W-plasty, flaps, etc.). This family of codes, (CPT codes 14000-14350), involves excision with adjacent tissue transfer and correlates to excision codes. Excision CPT codes (11400-11646) and repair CPT codes (12001 - 13160) are not to be separately reported when CPT codes 14000-14350 are reported. On the other hand, skin grafting performed in conjunction with these codes may be separately reported if it is not included in the specific code definition. In the case of closure of traumatic wounds, these codes are appropriate only when the closure requires the surgeon to develop a specific adjacent tissue transfer; lacerations that coincidentally are approximated using a tissue transfer technique (e.g. Z-plasty, W-plasty) should be reported with the more simple closure code. Debridement necessary to accomplish these tissue transfer procedures is part of the comprehensive procedure performed. Separate debridement CPT codes (11000-11042) or repair CPT codes (12001-13160) would be inappropriately reported with these CPT codes (14000-14350) for the same lesion/injury. Procurement of cultures or tissue samples as a part of a closure are included in the closure code and are not to be separately reported.

G. Grafts and Flaps

Free skin grafts are coded by type (split or full), location, and size. For a specific location, a primary code is defined and followed by a supplemental code for additional coverage area. As a result of this coding scheme, for a given area of involvement, the initial code is limited to one unit of service; the supplemental code may have multiple units of service depending on the area to be covered. Because, for a specific area, only one type of skin graft is typically applied, the primary free skin graft CPT codes (15100, 15120, 15200, 15220, 15240, 15260) are mutually exclusive to one another. If multiple areas require different grafts, a modifier indicating different sites should be

used (anatomic or -59 modifier).

Generally, debridement of non-intact skin (CPT codes 11000-11042) in anticipation of a skin graft is necessary prior to application of the skin graft and is included in the skin graft (CPT codes 15050-15400). When skin is intact, however, and the graft is being performed after excisional preparation of intact skin, the CPT code 15000 (Excisional preparation) is separately reported. CPT code 15000 is not to be used to describe debridement of non-intact, necrotic or infected skin, nor is its use indicated with other lesion removal codes.

1. CPT codes 15350 (application of allograft) and 15400 (application of xenograft) are part of all other graft codes and are not to be separately reported with other grafts (CPT codes 15050 - 15261) for graft placement on the same site.

2. The CPT code 67911 describes the "Correction of lid retraction;" a parenthetical notation is added advising that, if autogenous graft materials are used, tissue graft codes 20920, 20922 or 20926 can be reported. Accordingly, all other procedures necessary to accomplish the service are included.

3. Flap grafts (CPT codes 15570-15576) include excision of lesions at the same site (CPT codes 11400-11646).

H. Breast (Incision, Excision, Introduction, Repair and Reconstruction)

Because of the unique nature of procedures developed to address breast disease, a section of CPT (19000-19499) is set aside for such services.

Fine needle aspiration biopsies, core biopsies, open biopsies, and related procedures, performed to procure tissue from a lesion for which an established diagnosis exists are not to be reported separately at the time of a lesion excision unless performed, for example, on a different lesion or on the contralateral breast. If a diagnosis is not established, and the decision to perform the excision is dependent on the results of the biopsy, then the biopsy is separately reported. The -58 modifier may be used appropriately to indicate that the biopsy and the excision are staged or planned procedures.

Because excision of lesions occur in the course of performing a mastectomy, breast excisions are not separately reported from a

mastectomy. Specifically CPT codes 19101-19126 (breast excision) are included in all mastectomy CPT codes 19140-19240 of the same side.

Use of other integumentary codes for incision and closure are included in the codes describing various breast excision or mastectomy codes. Because of the frequent need to biopsy lymph nodes or remove muscle tissue in conjunction with mastectomies, these procedures have been included in the CPT coding for mastectomy. It would be inappropriate to separately bill for ipsilateral lymph node dissection in conjunction with the appropriate mastectomy codes. In the circumstance where a breast lesion is identified and treated and it is determined to be medically necessary to biopsy the contralateral nodes, use of the biopsy or lymph node dissection codes (using the appropriate anatomic modifier, -LT or -RT for left or right, to indicate this) would be acceptable. Additionally, breast reconstruction codes that include the insertion of a prosthetic implant are not to be reported with CPT codes that describe the insertion of a breast prosthesis only.

The CPT coding for breast procedures generally refers to unilateral procedures; when performed bilaterally, the -50 modifier would be appropriate. This is identified parenthetically, where appropriate, in the CPT narrative.

I. General Policy Statements

1. Repair/closure of a surgical incision, CPT codes 12001-12018, is not separately reported from other surgical procedures. The closure is an intricate part of the surgical procedure performed. As noted previously, simple closure of dermatologic excisions is included in the dermatologic procedure.

2. CPT codes 15851 - 15852 refer to suture removal and dressing change under anesthesia. These codes are not to be reported when a patient requires a general anesthesia for a related procedure (e.g. a return to the operating room for complications where an incision is reopened necessitating removal of sutures and redressing). Additionally, these codes, particularly CPT code 15852, are not to be reported with a primary procedure performed under general anesthesia.

There are a number of supplemental CPT codes defined in the *CPT manual*. The following is a listing of supplemental codes present in the integumentary section of the *CPT manual*. Although, not

all-inclusive, the supplemental code must be used in combination with the primary CPT code or the supplemental code cannot be reported.

Primary CPT code	Supplemental CPT code
11000 (Debridement up to 10%)	11001 (Each additional 10%)
11200 (Removal of skin tags, up to and including 15 lesions)	11201 (Each additional 10 lesions)
11730 (Avulsion of nail plate)	11732 (each additional nail plate)
15100 (Split Graft, 100 sq.cm. or less)	15101 (each additional 100 sq.cm.)
15240 (Full Thickness Graft 20 sq.cm. or less)	15241 (each additional 20 sq.cm.)

HCPCS/CPT Codes

01996..... 2, 3
10080..... 3
10081..... 3
10140..... 3
10160..... 2
10180..... 3, 4
11000..... 6, 7, 9
11000 - 11042 6, 7
11001..... 9
11200..... 6, 9
11200 - 11201 6
11201..... 9
11300 - 11313 6
11400 - 11471 6
11400 - 11646 6, 8
11600 - 11646 5, 6
11719 - 11762 6
11730..... 9
11732..... 9
11765..... 6
11770..... 3, 6
11770-11772 6
11771..... 3
11772..... 3
11900..... 6
11901..... 6
12001 - 12018 6, 9
12001 - 12021 5
12001 - 13160 6, 7
12020 - 12021 6
12031 - 12057 6
13100 - 13160 6
14000 - 14350 6, 7
15000..... 7
15050 - 15261 7
15050 - 15400 7
15100..... 7, 9
15101..... 9
15120..... 7
15200..... 7

15220..... 7
15240..... 7, 9
15241..... 9
15260..... 7
15350..... 7
15400..... 7
15570 - 15576 8
15851 - 15852 9
17260 - 17286 5
17304 - 17310 5
19000 - 19499 8
19101 - 19126 8
19140 - 19240 8
20500 - 20501 2
20550..... 2
20600 - 20610 2
20920..... 7
20922..... 8
20926..... 8
67911..... 7
88300 - 88309 4, 5
88321..... 5
96405..... 6
96406..... 6

Modifiers

-24 Modifier 2
-50 Modifier 9
-57 1
-58 Modifier 5, 8
-59 Modifier 4, 6, 7
-78 Modifier 3
-LT 8
-RT 8

Terms

100 sq. cm. 9
15 lesions 9
20 sq. cm. 9
Access 3
Accomplish 1, 4, 6, 7, 8

Accomplished	2, 3, 5, 6	Chemotherapy	6
Accurately	1	Closure	1, 5, 6, 7, 8, 9
Additional 10 lesions	9	CMS	1
Additional 10%	9	Codes.....	1, 2, 3, 4, 5, 6, 7, 8, 9
Additional 100 sq. cm.....	9	Coding.....	1, 3, 7, 8
Additional 20 sq. cm.....	9	Coding conventions	3
Additional nail plate.....	9	Coding scheme.....	7
Adhesive strips.....	2	Coding system.....	1
Adjacent	1, 6, 7	Collective	5
Adjacent tissue	1, 6, 7	Complex.....	1, 3, 4, 5, 6
Adjacent tissue rearrangement	1	complexity.....	3
Adjustment.....	2	Complicated	3
Administered.....	2	Complications	3, 9
Anatomic modifier	4, 7, 8	Component.....	1
Anesthesia	2, 9	Comprehensive	1, 3, 7
Anesthesiologist.....	2	Condition	2
Antibiotic therapy	3	Contralateral.....	8
Application of allograft.....	7	Contralateral breast	8
Application of xenograft.....	7	Core biopsies.....	8
Appropriate	1, 2, 3, 4, 6, 7, 8, 9	Correction	7
Appropriateness	1	Course	3, 5, 8
Approximated	7	Coverage	7
Area.....	3, 7	Covered.....	1, 7
Arthrocentesis	2	CPT	1, 2, 3, 4, 5, 6, 7, 8, 9
Aspiration.....	2, 8	CRNA	2
Attaching.....	1	Cultures	7
Autogenous graft materials	7	Curettement.....	1, 4
Avulsion of nail plate.....	9	Cutaneous.....	3
Bandaging	5	Cysts.....	3, 6
Bilaterally.....	8	Daily.....	3
Bill.....	2, 3, 4, 8	Date	4
Biopsy	1, 4, 5, 8	Dates of service.....	4
Breast disease.....	8	Debridement.....	4, 6, 7, 9
Breast excisions	8	Decision	1, 3, 5, 8
Breast lesion.....	8	Defines	4
Breast prosthesis	8	Definition	4, 5, 7
Breast reconstruction.....	8	Definitive	4, 6
Burn injury	3	Dependent	8
Burn management	1	Dermatological.....	1
Catheter	2, 3	Dermatopathology.....	4, 5
Changes.....	1	Describing	1, 3, 4, 6, 8
Chemotherapeutic agents	6	Destruction.....	1, 3, 4, 5

Diagnosis.....	8	Full thickness excision.....	4
Diagnostic biopsy.....	5	Full Thickness Graft	9
Diameter.....	4	Gain.....	3
Different.....	2, 4, 6, 7, 8	Gastrostomy tube	4
Differentiate	5	General anesthesia.....	2
Dissection.....	8	Given.....	4, 6, 7
Distant.....	1	Global period	1, 3
Distinct.....	4	Global Surgery Policy.....	1
Documentation.....	5	Graft	7
Dosage.....	2	Grafts.....	1, 2, 7
Drainage.....	3, 4	Group	5, 6
Dressing change	9	Hematomas	3
E & M	1, 2	Identified	3, 8, 9
Elements.....	1	Inappropriate	2, 3, 4, 5, 8
Empyema	3, 4	Incident to	2
Epidural.....	2, 3	Incision.....	1, 3, 4, 5, 6, 8, 9
Established	1, 8	Incision and drainage	3
Evaluated.....	2	Included.....	1, 2, 3, 5, 6, 7, 8, 9
Evaluation and management	1, 5	Includes	1, 5
Evaluation and Management.....	1	Independent certified nurse anesthetist ...	2
Evaluations.....	4	Indicated.....	2, 7
Evident	3	Indicating	4, 7
Example	3	Individual	1
Exceptions.....	2	Infected.....	7
Excision	1, 3, 4, 5, 6, 8	Infections.....	3
Excisional.....	5, 7	Initial	4, 7
Excisional preparation	7	Injection	2, 6
Extensive.....	2, 3	Injury.....	6, 7
Extensive cellulitis.....	3	Insertion	8
Extensive debridement.....	2	Intact.....	7
Extent	6	Integumentary	1, 3, 8, 9
Family of codes.....	6	Integumentary disorders.....	1
Fine needle	8	Integumentary procedures.....	1
Fine needle aspiration biopsies	8	Integumentary section	9
Flap grafts	8	Integumentary system	1, 3
Flaps.....	1, 2, 6	Intermediate	5, 6
Fluid collections.....	3	Intralesional.....	6
Follow-up.....	1, 2	Intralesional chemotherapy	6
Forms	4	Involvement	3, 7
Free skin grafts.....	7	Ipsilateral.....	8
Freezing.....	4	Lacerations	7
Full	4, 7	Laser.....	4

Lesion.....	3, 4, 5, 6, 7, 8	Necrotizing pneumonia.....	3
Lesions	2, 4, 5, 6, 8	Non-intact	7
Less invasive.....	4	Non-viable tissue	6
Level.....	1	Nurse.....	2
Lid retraction.....	7	Office	2
Like	5	Open biopsies.....	8
Limited.....	7	Operative procedure.....	3
Listing	1, 9	Outside slides.....	5
Lobectomy.....	4	Pain control	3
Local anesthesia	2, 6	Parenthetical notation.....	7
Local anesthetic injection.....	6	Parenthetically.....	9
Local anesthetics	2	Paring	1, 4
Local infiltration	2	Part	2, 3, 4, 5, 6, 7, 9
Location	4, 5, 7	Partial	4
Lymph node	8	Pathologic evaluation.....	5
Lymph nodes.....	8	Pathological specimen	4
Major.....	1	Patients.....	2
Management.....	2, 3	Payment.....	2
Managing	3	Perform	1, 4, 5, 8
Margins	5	Performed.....	1, 2, 3, 4, 6, 7, 8, 9
Mastectomy.....	8	Personnel.....	2
Medical decision making	3	Physician	2, 3, 4
Medical record	4	Physicians.....	4
Medically necessary	4, 5, 8	Pilonidal	3, 6
Method	4, 5	Pilonidal cyst.....	3
Methodology	6	Placed.....	3
Methods.....	4	Placement.....	4, 7
Modifier	1, 7	Planned.....	5, 8
Mohs' Micrographic Surgery.....	1, 5	Plastic surgery	1
Monitored anesthesia care.....	2	Policies.....	1
More.....	1, 2, 3, 4, 6, 7	Postoperative.....	2, 3
More extensive.....	2	Postoperative pain.....	2
More invasive.....	4	Postoperative period.....	3
Multiple.....	1, 4, 5, 6, 7	Postoperative wound infection.....	3
Muscle tissue.....	8	Postoperatively.....	2
Mutilative.....	1	Practice.....	1
Mutually exclusive.....	7	Precise	5
Nails	6	Prelude	1
Narrative	1, 9	Primary.....	2, 3, 6, 7, 9
Nature.....	3, 4, 5, 8	Prior.....	5, 7
Necessary	1, 3, 4, 5, 6, 7, 8	Procedure	2, 3, 4, 5, 6, 7, 9
Necrotic.....	7	Procedures.....	1, 2, 4, 5, 7, 8

Procure	4, 8	Separately identifiable service	1, 2
Procurement	7	Seromas.....	3
Prosthetic implant	8	Service.....	1, 2, 5, 6, 7, 8
Provider.....	2	Services	1, 2, 3, 5, 8
Puncture aspiration.....	2	Session	4
Purpose.....	1	Shaving	1, 4, 6
Pustules	3	Significant	1, 2
Radical	1	Simple	3, 5, 6, 7, 9
Reason.....	4	Sinus.....	2
Reasonable	3, 5	Size.....	7
Reconstruction	8	Skin	6, 7, 9
Redressing.....	9	Skin grafting.....	6
Reflected	1, 4	Slides.....	4, 5
Regional block	2	Source	5
Related procedure	3, 9	Specialties	1
Related procedures	8	Specimens	5
Relative value units.....	2	Split.....	7
Removal	1, 3, 4, 5, 7, 9	Split Graft.....	9
Removal of skin tags.....	6, 9	Staged.....	1, 5, 8
Removal of sutures	9	Standard medical practice	1, 6
Remove	8	Strip closure	5
Rendered	1, 2, 3	Subarachnoid drug administration	2, 3
Reopened.....	9	Subcutaneous	3
Repair.....	1, 3, 6, 7, 8, 9	Submitted	3, 4, 5
Repairs	5	Sufficient.....	5
Reported separately.....	1, 2, 5, 6, 8	Supplemental.....	7, 9
Reporting.....	1	Supplies.....	2
Require.....	2, 3, 4, 5, 7	Surgeon	2, 5, 7
Resulted.....	3	Surgery	1, 2, 3, 4, 5
Results.....	8	Surgical dressings	2
Return to the operating room	3, 9	Surgical pathological evaluation.....	4
Review	4, 5	Surgical pathology	4, 5
Routine.....	2	Surgical procedure	1, 2, 9
Same operative session	5	Surgical procedures.....	1, 9
Same session	3	Surgical setting	1
Same side	8	Surgical tray	2
Same site	3, 7, 8	Suture removal	9
Same surgical session	3	Tape.....	2
Seborrheic keratoses	5	Technical advances	1
Sedation.....	2	Technique.....	7
Separate.....	2, 4, 5, 6	Techniques	2
Separate procedure.....	4	Technology.....	1

Tendon sheath	2	Treatment	3, 6
Therapeutic injection	2	Trimming	6
Thoracotomy	3, 4	Type	4, 7
Tissue graft.....	7	Unilateral.....	8
Tissue rearrangement	6	Unique.....	8
Tissue samples	7	Unit of service.....	5, 7
Tissue transfer	1, 5, 6, 7	Wedge	6
Tissues.....	4, 5	Wound closures.....	2
Transpires.....	1	Wound dehiscence	6
Traumatic wounds.....	7	W-plasty	6, 7
Treated	2, 8	Z-plasty	6, 7