| CMS Manual System                | Department of Health &<br>Human Services (DHHS)   |
|----------------------------------|---|
| Pub 100-20 One-Time Notification | Centers for Medicare &<br>Medicaid Services (CMS) |
| Transmittal 12317                | Date: October 20, 2023                            |
|                                  | Change Request 13344                              |

SUBJECT: User Enhancement Change Request (UECR): New Multi-Carrier System (MCS) Inquiry Search Screen Using a Procedure Code to Display an Associated Edit or Audit

**I. SUMMARY OF CHANGES:** The purpose of this Change Request (CR) is to develop a a new search function to display edit and audit information tied to a procedure code.

EFFECTIVE DATE: April 1, 2024 - Analysis, Design, and Coding for the new inquiry screen, SPITAB tables, hardcoded edits/audits, System Control Codes (SCC) audits, and report; July 1, 2024 - Coding, Testing and Implementation for the new inquiry screen, SPITAB tables, hardcoded edits/audits, SCC audits, and report; October 1, 2024 - Analysis, Design, Coding, Testing, and Implementation for the MCS Application Programming Interface (API) and Analysis, Design, and Coding for the System Control Facility (SCF) edits and audits; January 1, 2025 - Coding, Testing, and Implementation for the SCF edits and audits.

\*Unless otherwise specified, the effective date is the date of service.

IMPLEMENTATION DATE: April 1, 2024 - Analysis, Design, and Coding for the new inquiry screen, SPITAB tables, hardcoded edits/audits, System Control Codes (SCC) audits, and report; July 1, 2024 - Coding, Testing and Implementation for the new inquiry screen, SPITAB tables, hardcoded edits/audits, SCC audits, and report; October 7, 2024 - Analysis, Design, Coding, Testing, and Implementation for the MCS Application Programming Interface (API) and Analysis, Design, and Coding for the System Control Facility (SCF) edits and audits; January 6, 2025 - Coding, Testing, and Implementation for the SCF edits and audits.

Disclaimer for manual changes only: The revision date and transmittal number apply only to red italicized material. Any other material was previously published and remains unchanged. However, if this revision contains a table of contents, you will receive the new/revised information only, and not the entire table of contents.

**II. CHANGES IN MANUAL INSTRUCTIONS:** (N/A if manual is not updated) R=REVISED, N=NEW, D=DELETED-*Only One Per Row*.

| R/N/D | R/N/D CHAPTER / SECTION / SUBSECTION / TITLE |  |  |  |  |
|-------|--|--|--|--|--|
| N/A   | N/A  |  |  |  |  |

#### III. FUNDING:

#### For Medicare Administrative Contractors (MACs):

The Medicare Administrative Contractor is hereby advised that this constitutes technical direction as defined in your contract. CMS does not construe this as a change to the MAC Statement of Work. The contractor is not obligated to incur costs in excess of the amounts allotted in your contract unless and until specifically authorized by the Contracting Officer. If the contractor considers anything provided, as described above, to be outside the current scope of work, the contractor shall withhold performance on the part(s) in question and immediately notify the Contracting Officer, in writing or by e-mail, and request formal directions

regarding continued performance requirements.

# IV. ATTACHMENTS:

**One Time Notification** 

## **Attachment - One-Time Notification**

SUBJECT: User Enhancement Change Request (UECR): New Multi-Carrier System (MCS) Inquiry Search Screen Using a Procedure Code to Display an Associated Edit or Audit

EFFECTIVE DATE: April 1, 2024 - Analysis, Design, and Coding for the new inquiry screen, SPITAB tables, hardcoded edits/audits, System Control Codes (SCC) audits, and report; July 1, 2024 - Coding, Testing and Implementation for the new inquiry screen, SPITAB tables, hardcoded edits/audits, SCC audits, and report; October 1, 2024 - Analysis, Design, Coding, Testing, and Implementation for the MCS Application Programming Interface (API) and Analysis, Design, and Coding for the System Control Facility (SCF) edits and audits; January 1, 2025 - Coding, Testing, and Implementation for the SCF edits and audits.

\*Unless otherwise specified, the effective date is the date of service.

IMPLEMENTATION DATE: April 1, 2024 - Analysis, Design, and Coding for the new inquiry screen, SPITAB tables, hardcoded edits/audits, System Control Codes (SCC) audits, and report; July 1, 2024 - Coding, Testing and Implementation for the new inquiry screen, SPITAB tables, hardcoded edits/audits, SCC audits, and report; October 7, 2024 - Analysis, Design, Coding, Testing, and Implementation for the MCS Application Programming Interface (API) and Analysis, Design, and Coding for the System Control Facility (SCF) edits and audits; January 6, 2025 - Coding, Testing, and Implementation for the SCF edits and audits.

#### I. GENERAL INFORMATION

**A. Background:** The purpose of this Change Request (CR) is to develop a new search function to display edit and audit information tied to a procedure code.

Currently, the user can view or search a multitude of screens and files in the MCS to determine editing and/or auditing associated with a procedure code. It is a manually intensive effort.

The Shared System Maintainer (SSM) shall create a search inquiry function to display the edit and audit information tied to a procedure code or a range of procedure codes. The results shall be displayed on a new online inquiry screen; the option of requesting a printable report displaying the inquiry results and a new Application Program Interface (API) option shall be made available to the user.

Originally, it was planned for the results to include the Common Working File (CWF) Error Code number. The determination was made that this information is not available in the System Control Facility (SCF) extract utilized for the inquiry screen. Therefore, the CWF error code number shall not be included in the search results. If a requested procedure code is found in an SCF CWF Eligibility Audit, the results will display an 'X' under the Error Code (EC) field for the audit. The information for the SCF rule will also be included in the SCF results section.

The following categories of edits/audits shall not be included in the procedure code search function:

- Pricing audits (Audit major use category P or N).
- Edits/audits defined on the Focused Medical Review (MR) screen.
- Hold edits based on the Edit Hold (EH) screen.
- SCF data elements which start with "PC" or read Medicare Physician Fee Schedule Data Base (MPFSDB) values.
- Quantity billed editing which reads procedure codes from the HxxTQBIL SPITAB. Example, edits 038D and 164D.

- Editing which uses fields from the procedure code file. Examples, edits 018D, 142D, 050D, and 210D
- Edits based on procedure code payment flags.
- Mammography certification editing which assigns an internal mammography flag (SPITAB H99TDMAM).
- Edits based on the Lab National Coverage Determination (NCD) Edit Module (LC Screen).
- Edits based on a CMS supplied file. For example, edit 282D (Ambulatory Surgical Center (ASC) Payment Indicator File edit).
- Audits without PJ/PLs where the procedure codes are read from a CMS supplied file. For example, audit 207A (Medically Unlikely Edits (MUE).
- Fraud Prevention Service (FPS) edits where the procedure codes are defined in the FPS edit logic.
- CWF error codes where the procedure codes are defined in the CWF edit logic.

The new inquiry screen shall not be added to the MCS Desktop Tool (MCSDT).

The search functionality shall be by procedure code. This change does not include searches by modifier or keywords.

The search function shall only include batch edits and audits.

**B.** Policy: N/A

### II. BUSINESS REQUIREMENTS TABLE

"Shall" denotes a mandatory requirement, and "should" denotes an optional requirement.

| Number    | Requirement  | Re          | spoi | nsibility | 7   |                                 |     |     |     |  |
|-----------|--|-------------|------|-----------|-----|---------------------------------|-----|-----|-----|--|
|           |  | A/B MAC DME |      |           | DME | DME   Shared-System Maintainers |     |     |     |  |
|           |  | A           | В    | ННН       | MAC | FISS                            | MCS | VMS | CWF |  |
| 13344.1   | The contractor shall develop<br>a procedure code edit/audit<br>master file to be utilized by a<br>new search inquiry function.   |             |      |           |     |                                 | X   |     |     |  |
| 13344.1.1 | The contractor shall update the new edit/audit master file daily to incorporate maintenance updates.   |             |      |           |     |                                 | X   |     |     |  |
| 13344.1.2 | The contractor shall include the following categories of edits/audits in the procedure code search function:  • The MCS hard coded edits and audits where the procedure codes are defined in the code.  • The MCS hard coded edits where the procedure codes are defined in the procedure codes are defined in the |             |      |           |     |                                 | X   |     |     |  |

| Number  | Requirement   | Re          | spoi | nsibility | 7     |       |     |     |     |  |
|---------|---|-------------|------|-----------|-------|-------|-----|-----|-----|--|
|         |   | A/B MAC DME |      |           | Share | Other |     |     |     |  |
|         |   | Α           | В    | ННН       |       | FISS  | MCS | VMS | CWF |  |
|         |   |             |      |           | MAC   |       |     |     |     |  |
|         | HxxTTPCD, HxxTACO, or HxxTMCCP SPITAB tables.  The MCS maintained SCF edits and audits where procedure codes are defined in SCF rules using "PROCEDURE CODE" data elements.  The MAC SCF edits, audits, and error codes where procedure codes are defined in SCF rules using "PROCEDURE CODE" data elements.  The MCS maintained System Control Code (SCC) audits where the procedure codes are defined in the PJ and or PL segments. Exception – any PL related procedure code range beginning with AAAAA or ending with 99999 shall be excluded.  The MAC SCC audits where the procedure codes are defined in the PJ and or PL segments. Exception – any PL related procedure code range beginning with AAAAA or ending with 99999 shall be excluded. |             |      |           |       |       |     |     |     |  |
|         | beginning with AAAAA or ending with 99999 shall be excluded.  |             |      |           |       |       |     |     |     |  |
| 13344.2 | The contractor shall create a new request entry and result  |             |      |           |       |       | X   |     |     |  |

| Number      | Requirement   | Re | spo  | nsibility | 7   |      |     |     |     |  |  |
|-------------|---|----|------|-----------|-----|------|-----|-----|-----|--|--|
|             |   | A  | /B I | MAC       | DME |      |     |     |     |  |  |
|             |   | A  | В    | ННН       | MAC | FISS | MCS | VMS | CWF |  |  |
|             | online inquiry screen.  |    |      |           |     |      |     |     |     |  |  |
| 13344.2.1   | The contractor shall ensure a user with MCS access can utilize the new procedure code edit/audit search function without additional security updates.   |    |      |           |     |      | X   |     |     |  |  |
| 13344.2.2   | The contractor shall include function keys for the following movements on the new inquiry screen:  Paging forward and backward through the inquiry results. Return to top of display. Move to next or previous procedure code in the range. Ability to return from the new screen to the menu screen. |    |      |           |     |      | X   |     |     |  |  |
| 13344.2.3   | The contractor shall allow for selection data to be passed to the new inquiry screen from the following existing screens:  • The Procedure Code Look-up screen (PC). • The Full Procedure Code Inquiry screen (FP). • The Detail History screen (HI).   |    |      |           |     |      | X   |     |     |  |  |
| 13344.2.4   | The contractor shall allow for the entry of individual procedure codes or procedure code ranges on the new inquiry screen.  |    |      |           |     |      | X   |     |     |  |  |
| 13344.2.4.1 | The contractor shall limit the number of valid procedure codes returned, displaying   |    |      |           |     |      | X   |     |     |  |  |

| Number      | Requirement  | Responsibility |  |     |     |      |     |     |       |  |
|-------------|--|----------------|--|-----|-----|------|-----|-----|-------|--|
|             |  |                | A/B MAC DME Shared-System   DICE   MCS |     |     |      |     |     | Other |  |
|             |  | A              | В                                      | ННН | MAC | FISS | MCS | VMS | CWF   |  |
|             | an online error message if the number exceeds 50.  |                |  |     |     |      |     |     |       |  |
| 13344.2.5   | The contractor shall utilize the procedure code master edit/audit file to search for the requested procedure code(s) and display the results on the new inquiry screen.  |                |  |     |     |      | X   |     |       |  |
| 13344.2.5.1 | The contractor shall individually display the results for each valid procedure code in a range when an inquiry is performed on a range of procedure codes.   |                |  |     |     |      | X   |     |       |  |
| 13344.2.5.2 | The contractor shall display the edit/audit information for the requested procedure code from the following fields:  • The edit/audit number (EA Screen – field 01). • The edit/audit description 1 (EA Screen – field 18). • The edit/audit owner (EA Screen – field 54). • The active/inactive status (Derived based on the edit/audit disposition). |                |  |     |     |      | X   |     |       |  |
| 13344.2.5.3 | The contractor shall indicate if the requested procedure code is found in SCF rules/tables, SCC audit PJ segment, SCC audit PL segment, or SCF CWF Eligibility rule error code.  |                |  |     |     |      | X   |     |       |  |
| 13344.2.5.4 | The contractor shall display<br>the SCF Rule/Table<br>edit/audit information for the   |                |  |     |     |      | X   |     |       |  |

| Number    | Requirement   | Re | spoi    | nsibility | ,         |                           |     |     |       |  |
|-----------|---|----|---------|-----------|-----------|---------------------------|-----|-----|-------|--|
|           |   | A  | A/B MAC |           | DME       | Shared-System Maintainers |     |     | Other |  |
|           |   | A  | В       | ННН       | ) ( ) ( ) | FISS                      | MCS | VMS | CWF   |  |
|           | requested procedure code.  • The edit/audit number - pulled from the SCF rule. • The SCF rule or table name - pulled from the SCF rule/table. • The SCF rule status - pulled from the SCF rule/table. • The SCF rule type - pulled from the SCF rule. |    |         |           | MAC       |                           |     |     |       |  |
| 13344.3   | The contractor shall create a print report version of the procedure code search results for the specified procedure(s).   |    |         |           |           |                           | X   |     |       |  |
| 13344.3.1 | The contractor shall ensure the report is sorted in requesting clerk ID order.  |    |         |           |           |                           | X   |     |       |  |
| 13344.4   | The contractor shall create a new read only API to return procedure code edit/audit records from the new master file.   |    |         |           |           |                           | X   |     |       |  |

### III. PROVIDER EDUCATION TABLE

| Number | Requirement | Re | spoi | nsibility | 7   |      |
|--------|-------------|----|------|-----------|-----|------|
|        |             |    |      |           |     |      |
|        |             |    | A/   | Έ         | DME | CEDI |
|        |             |    | MA   | AC        |     |      |
|        |             |    |      |           | MAC |      |
|        |             | A  | В    | ННН       |     |      |
|        |             |    |      |           |     |      |
|        |             |    |      |           |     |      |
|        |             |    |      |           |     |      |
|        | None        |    |      |           |     |      |

### IV. SUPPORTING INFORMATION

Section A: Recommendations and supporting information associated with listed requirements: N/A

"Should" denotes a recommendation.

| X-Ref       | Recommendations or other supporting information: |
|-------------|--|
| Requirement |  |
| Number      |  |

Section B: All other recommendations and supporting information: N/A

#### V. CONTACTS

**Post-Implementation Contact(s):** Contact your Contracting Officer's Representative (COR).

#### VI. FUNDING

### **Section A: For Medicare Administrative Contractors (MACs):**

The Medicare Administrative Contractor is hereby advised that this constitutes technical direction as defined in your contract. CMS does not construe this as a change to the MAC Statement of Work. The contractor is not obligated to incur costs in excess of the amounts allotted in your contract unless and until specifically authorized by the Contracting Officer. If the contractor considers anything provided, as described above, to be outside the current scope of work, the contractor shall withhold performance on the part(s) in question and immediately notify the Contracting Officer, in writing or by e-mail, and request formal directions regarding continued performance requirements.

**ATTACHMENTS: 0**